

General Implants
GmbH Deutschland



EN

Experience and passion in medical manufacturing

MADE IN GERMANY

Innovative Implantology

General Implants GmbH Deutschland is a company focused on the development and production of superior implant systems that offer the utmost in technological excellence. All our systems, instruments and accessories are designed to suit the needs of contemporary implantology. Innovative strength, combined with up-to-the-minute insight into implantology advancements, guarantee the quality, safety and reliability that our partners expect. Made in Germany.

Customers are our focus

The everlasting pursue for an ideal solution to clinical and dental challenges is our daily work. Our goal is to know exactly what our customers are looking for in order to develop the perfect implant system. At General Implants, we have created a customer-orientated structure with clear communication. Customers are provided with fast, direct, informed responses. Ultimately this is just one of the reasons for our growing success.



Get to know us better
by visiting our website!


www.general-implants.com

CONTENT

Implants	8
Prosthetics	11
Drills and Drillstops	16
Tools	18
Surgical Set	20
Easy Fix	24
Fixed on Four	26
Quality Management	28



“ Here we do everything under one roof -
from computerised technical drawings and
stringent quality-controlled production
to worldwide shipment ”



Developments designed for practical use

It all began with the development of a self-tapping screw implant. From the outset, the development team consisted of experienced, practising implantologists and internationally renowned implant manufacturers. During its evolution, every feature of the system was tested and evaluated for its practical application, whilst accounting for surgical and prosthetic qualities, as well as laboratory demands. By working closely with practising implantologists, any weaknesses in the system could be identified immediately and continuous improvements made to the implant system distributed by General Implants GmbH Deutschland. This user-oriented development strategy has resulted in the unparalleled practicality of all the implant ranges we deliver.

Utmost flexibility

Together with our implantology partners, our highly dedicated colleagues work tirelessly on optimising systems which, once tested successfully, can quickly be put into operation. To a certain extent, user-specific designs can also be developed and so ensure an exceptional level of customer orientation and flexibility.

State of the art

General Implants GmbH Deutschland develops implant systems based on a wide range of expertise. Hence our systems have been designed to reflect the latest technological standards, whether it be a simple question of material, geometry, dimensions or surface properties.

Extensive portfolio

The standard implant produced by General Implants GmbH Deutschland is represented by the Easy Fast S product range. It is a cylindrical screw implant, with selected diameters (3.0 mm, 3.8 mm, 4.3 mm and 5.0 mm) to cover almost all indications. The range is complemented by a number of Easy Fast D Titanium implant systems (diameter 3.5 mm, 4.3 mm and 5.0 mm). The chosen design achieves a high level of primary stability, especially in patients with poor bone conditions.




Easy Fast D IMPLANTS

EASY FAST D

The Easy Fast D implant system is a significant expansion to the product portfolio of General Implants GmbH Deutschland.

As with the Easy Fast S implant system, the Easy Fast D implant has an internal hex and tapered profile. A stable press-fit construction between the implant and abutment is the result. The root-shaped implant body is particularly suited to anatomically complex indications. It has a self-tapping compression thread, the large cutting grooves of which have a decisive influence on primary and secondary rotational stability.

By coordinating the components, utmost precision can be achieved with a smaller number of products.



PRODUCT NAME	Ø	LENGTH	MATERIAL	PRODUCT CODE	
Easy Fast D	3.5	8.5	Titan	ID35085	
		10.0		ID35100	
	4.3	11.5		ID35115	
		13.0		ID35130	
		16.0		ID35160	
		8.5		ID43085	
	5.0	10.0		ID43100	
		11.5		ID43115	
		13.0		ID43130	
		16.0		ID43160	
	5.0	8.5		ID50085	
		10.0		ID50100	
		11.5		ID50115	
		13.0		ID50130	
				16.0	ID50160

Easy Fast S IMPLANTS

EASY FAST S

The Easy Fast S implant system is exemplary of simplicity. This Implant line not only preserve the bone substance but also keep the long-term peri-implant health.

The Easy Fast S Implant system has been proven to be suitable for all indications of dental implantology. The abutment system comprises all the requisite components and shares four compatibility with Easy Fast D system, which using fewer components achieved outstanding usability and flexibility. Three different implant neck designs provide an optimal biophysical surface for osteointegration at all insertion depths.




PRODUCT NAME	Ø	LENGTH	MATERIAL	PRODUCT CODE	
Easy Fast S	3.0	8.5	Titan	IS30085	
		10.0		IS30100	
		11.5		IS30115	
		13.0		IS30130	
	3.8	16.0		IS30160	
		8.5		IS38085	
		10.0		IS38100	
		11.5		IS38115	
	4.3	13.0		IS38130	
		16.0		IS38160	
		6.0		IS43060	
		8.5		IS43085	
	5.0	10.0		IS43100	
		11.5		IS43115	
		13.0		IS43130	
		16.0		IS43160	
	5.0	6.0		IS50060	
		8.5		IS50085	
		10.0		IS50100	
		11.5		IS50115	
				13.0	IS50130
				16.0	IS50160

GINGIVA FORMERS


PRODUCT NAME	Ø	LENGTH	MATERIAL	PRODUCT CODE
Gingiva former cylindrical for implant ø 3.0	3.7	2.0	Titan	P30402-02
		3.0		P30402-03
		4.0		P30402-04
		5.0		P30402-05
		6.0		P30402-06
		7.0		P30402-07
Gingiva former cylindrical for implant ø 3.5/3.8/4.3/5.0	4.6	2.0		P44402-02
		3.0		P44402-03
		4.0		P44402-04
		5.0		P44402-05
		6.0		P44402-06
		7.0		P44402-07
Gingiva former tapered for implant ø 3.0	3.4	2.0		P30402k-02
	3.7	3.0		P30402k-03
	4.0	4.0	P30402k-04	
	4.3	5.0	P30402k-05	
	4.6	6.0	P30402k-06	
	4.8	7.0	P30402k-07	
	Gingiva former tapered for implant ø 3.5/3.8/4.3/5.0	4.8	2.0	P44402k-02
4.9		3.0	P44402k-03	
5.0		4.0	P44402k-04	
5.2		5.0	P44402k-05	
5.3		6.0	P44402k-06	
5.5		7.0	P44402k-07	

COVER SCREWS

PRODUCT NAME	Ø	LENGTH	MATERIAL	PRODUCT CODE
Cover screw for implant ø 3.0	3.0	4.7	Titan	S30460
Cover screw for implant ø 3.5/3.8/4.3/5.0	3.5	5.0		S44460
Cover screw - sinus lift for implant ø 3.5/3.8/4.3/5.0	5.5	5.0		S44461



PRODUCT NAME	STERILE	R	Ø	LENGTH	MATERIAL	PRODUCT CODE
Easy Fast S MTF	STERILE	R	3.8	8.5	Titan	IS38085MTF
				10.0		IS38100MTF
				11.5		IS38115MTF
				13.0		IS38130MTF
				16.0		IS38160MTF
			4.3	6.0		IS43060MTF
				8.5		IS43085MTF
				10.0		IS43100MTF
				11.5		IS43115MTF
				13.0		IS43130MTF
			5.0	16.0		IS43160MTF
				6.0		IS50060MTF
				8.5		IS50085MTF
				10.0		IS50100MTF
				11.5		IS50115MTF
13.0	IS50130MTF					
16.0	IS50160MTF					



PRODUCT NAME	STERILE	R	Ø	LENGTH	MATERIAL	PRODUCT CODE
Easy Fast S MF	STERILE	R	3.8	8.5	Titan	IS38085MF
				10.0		IS38100MF
				11.5		IS38115MF
				13.0		IS38130MF
				16.0		IS38160MF
			4.3	6.0		IS43060MF
				8.5		IS43085MF
				10.0		IS43100MF
				11.5		IS43115MF
				13.0		IS43130MF
			5.0	16.0		IS43160MF
				6.0		IS50060MF
				8.5		IS50085MF
				10.0		IS50100MF
				11.5		IS50115MF
13.0	IS50130MF					
16.0	IS50160MF					



IMPRESSION POSTS



PRODUCT NAME	Ø	LENGTH	MATERIAL	PRODUCT CODE
Repositioning cap, closed coping	4.3	7.0	POM	L43700
Repositioning cap, closed coping, 10 pcs.	4.3	7.0		L43710
Impression post for implant ø 3.0, closed coping *	3.5	11.3	Titan	L30512
Impression post for implant ø 3.5/3.8/4.3/5.0, closed coping *	3.5	11.6		L43512-11
Impression post for implant ø 3.5/3.8/4.3/5.0, closed coping *	4.5	11.6		L44512-11
Impression post for implant ø 3.0, open coping	3.5	14.0		L30413
Impression post for implant ø 3.5/3.8/4.3/5.0, open coping (short)	3.5	12.8		L43513-11
Impression post for implant ø 3.5/3.8/4.3/5.0, open coping (short)	4.5	12.8		L44513-11
Impression post for implant ø 3.5/3.8/4.3/5.0, open coping (long)	3.5	15.9		L43513-18
Impression post for implant ø 3.5/3.8/4.3/5.0, open coping (long)	4.5	15.9		L44513-18
Impression screw for implant ø 3.0, open coping		23.0		S30413
Impression screw for implant ø 3.5/3.8/4.3/5.0, open coping (short)		21.0		S44413-21
Impression screw for implant ø 3.5/3.8/4.3/5.0, open coping (long)		26.0	S44413-26	
Implant analog for implant ø 3.0	3.0	13.0	L30422	
Implant analog for implant ø 3.5/3.8/4.3/5.0	3.8	13.0	L44422	

PARALLEL PINS



PRODUCT NAME	Ø	LENGTH	MATERIAL	PRODUCT CODE
Parallel pin 0°			Titan	L44650
Parallel pin 0° (4 pieces)				L44651
Parallel pin 15°				L44652
Parallel pin 15° (4 pieces)				L44653
Parallel pin 25°				L446544
Parallel pin 25° (4 pieces)				L446545

*Screw included

ABUTMENTS



PRODUCT NAME	Ø	LENGTH	MATERIAL	PRODUCT CODE
Abutment 0° * for implant ø 3.0	3.7	9.0/1.0	Titan	P30427-01
		9.0/2.0		P30427-02
		9.0/3.0	Peek	P30427-03
		9.0/2.0		P30427P-02
Abutment 0° (short)* for implant ø 3.5/3.8/4.3/5.0	4.6	9.0/1.0	Titan	P30427Po-02
		9.0/2.0		P44426-01
		9.0/3.0	Peek	P44426-02
		9.0/2.0		P44426-03
Abutment 0° (long)* for implant ø 3.5/3.8/4.3/5.0	4.6	9.0/2.0	Titan	P44426P-02
		9.0/2.0		P44426Po-02
		11.5/1.0	Peek	P44427-01
		11.5/2.0		P44427-02
Abutment 15° * for implant ø 3.0	3.9	11.5/3.0	Titan	P44427-03
		11.5/2.0		P44427P-02
Abutment 15° * for implant ø 3.5/3.8/4.3/5.0	4.7	11.5/2.0	Titan	P44427Po-02
		11.5/2.0		P44427P-02
Abutment 15° * for implant ø 3.0	4.3	10.0/2.0	Titan	P30432-02
		10.0/3.0		P30432-03
Abutment 15° * for implant ø 3.5/3.8/4.3/5.0	5.0	10.0/2.0		P44432-02
		10.0/3.0		P44432-03
Abutment 25° * for implant ø 3.0	3.9	10.0/2.0		P30425-02
		10.0/3.0		P30425-03
Abutment 25° * for implant ø 3.5/3.8/4.3/5.0	4.7	10.0/2.0		P44425-02
		10.0/3.0		P44425-03

PREMOLAR ABUTMENTS

PRODUCT NAME	Ø	LENGTH	MATERIAL	PRODUCT CODE
Premolar abutment (short)* for implant ø 3.0	3.0	10.0	Titan	P30430-10
Premolar abutment (long)* for implant ø 3.0		13.0		P30430-13
Premolar abutment (short)* for implant ø 3.5/3.8/4.3/5.0	4.5	10.0		P44430-10
Premolar abutment (long)* for implant ø 3.5/3.8/4.3/5.0		13.0		P44430-13

CAD/CAM



PRODUCT NAME	Ø	LENGTH	MATERIAL	PRODUCT CODE
Scan adapter* for implant ø 3.0	4.0	12.3	Peek	P30424P-04
Scan adapter* for implant ø 3.5/3.8/4.3/5.0				12.6
Scan adapter* for implant ø 3.5/3.8/4.3/5.0	6.0	12.6		P44424P-06
Bonding base* for implant ø 3.0				Titan
Bonding base* for implant ø 3.5/3.8/4.3/5.0	3.0		P44423	

*Screw included.

CASTABLE ABUTMENTS

PRODUCT NAME	Ø	LENGTH	MATERIAL	PRODUCT CODE
Castable abutment* for implant ø 3.0	3.7	14.0	POM	P30416
Castable abutment* for implant ø 3.5/3.8/4.3/5.0	4.6			P44416

RETENTION SCREWS

PRODUCT NAME	Ø	LENGTH	MATERIAL	PRODUCT CODE
Retention screw for implant ø 3.0		9.3	Titan	S30435
Retention screw for implant ø 3.5/3.8/4.3/5.0		9.3		S44435
Retention screw (blue) for implant ø 3.0		9.3		S30435b
Retention screw (blue) for implant ø 3.5/3.8/4.3/5.0		9.3		S44435b

LOCATOR ABUTMENTS

PRODUCT NAME	Ø	LENGTH	MATERIAL	PRODUCT CODE
Locator abutment for implant ø 3.0	3.7	2.0	Titan	P30476-02
		3.0		P30476-03
		4.0		P30476-04
		5.0		P30476-05
		6.0		P30476-06
		7.0		P30476-07
		Locator abutment for implant ø 3.5/3.8/4.3/5.0		4.6
3.0	P44476-03			
4.0	P44476-04			
5.0	P44476-05			
6.0	P44476-06			
		7.0	P44476-07	

LOCATOR ACCESSORIES

PRODUCT NAME	Ø	LENGTH	MATERIAL	PRODUCT CODE
Impression coping (locator)		7.0	POM	L44480
Cap (locator)	5.5	2.3	Titan	P44481
Plastic insert (locator) soft (4 pieces)	4.6		POM	P44482-01
Plastic insert (locator) reinforced retention (4 pieces)	4.6		POM	P44482-02
Locator set				P44484

*Screw included

LOCATOR ACCESSORIES

PRODUCT NAME	Ø	LENGTH	MATERIAL	PRODUCT CODE
Implant analog (locator)	3.7	14.0	Titan	L44422lo

BALL ANCHORS

PRODUCT NAME	Ø	LENGTH	MATERIAL	PRODUCT CODE
Transgingival ball anchor for implant ø 3.0	3.7	1.0	Titan	P30466-01
		2.0		P30466-02
		3.0		P30466-03
		4.0		P30466-04
		5.0		P30466-05
Transgingival ball anchor for implant ø 3.5/3.8/4.3/5.0	4.6	1.0	P44466-01	
		2.0	P44466-02	
		3.0	P44466-03	
		4.0	P44466-04	
		5.0	P44466-05	
		6.0	P44466-06	
		7.0	P44466-07	

BALL ANCHORS ACCESSORIES

PRODUCT NAME	Ø	LENGTH	MATERIAL	PRODUCT CODE
Impression sleeve (ball anchor)	5.5	8.0	POM	L44474
Implant analog (ball anchor)	4.5	15.8	Titan	L44422b
Cap (ball anchor)	5.0	3.2	Titan	P44471
Plastic insert (ball anchor) soft (4 pieces)	3.9		Peek	P44472-01
Plastic insert (ball anchor) reinforced retention (4 pieces)	3.9		Peek	P44472-02
Ball anchor set				P44473



Drills and Drillstops

SURGICAL DRILLS (PREPARATION)



PRODUCT NAME	Ø	LENGTH	MATERIAL	PRODUCT CODE
Round drill	2.3		Stainless steel	B2140
Triangular drill	1.8			B2240
Pilot drill	2.0			B2040

SURGICAL DRILLS (EASY FAST S)



PRODUCT NAME	Ø	LENGTH	MATERIAL	PRODUCT CODE
Regular drill (EFS Ø 3.0)	3.0		Stainless steel	B2530
Regular drill (EFS Ø 3.8)	3.8			B3238
Regular drill (EFS Ø 4.3)	4.3			B3743
Regular drill (EFS Ø 5.0)	5.0			B4450

TAPS (EASY FAST S)



PRODUCT NAME	Ø	LENGTH	MATERIAL	PRODUCT CODE
Tap (EFS Ø 3.0)	3.0		Stainless steel	T90300
Tap (EFS Ø 3.8)	3.8			T90380
Tap (EFS Ø 4.3)	4.3			T90430
Tap (EFS Ø 5.0)	5.0			T90500

SURGICAL DRILLS (EASY FAST D)



PRODUCT NAME	Ø	LENGTH	MATERIAL	PRODUCT CODE
Regular drill (EFD Ø 3.5)	3.5		Stainless steel	B353227
Regular drill (EFD Ø 4.3)	4.3			B433933
Regular drill (EFD Ø 5.0)	5.0			B504640
Cortical drill (EFD Ø 3.5)	3.5			B353629
Cortical drill (EFD Ø 4.3)	4.3			B434235
Cortical drill (EFD Ø 5.0)	5.0			B504942



DRILL STOPS (EASY FAST S)

PRODUCT NAME	Ø	LENGTH	MATERIAL	PRODUCT CODE
Drill stop for pilot drill	2.00	3.0/13.0	Titan	T2040-030
		4.5/11.5		T2040-045
		6.0/10.0		T2040-060
		7.5/8.5		T2040-075
Drill stop for implant Ø 3.0	2.50	3.0/13.0		T2040-118
		4.5/11.5		T2530-030
		6.0/10.0		T2530-045
		7.5/8.5		T2530-060
Drill stop for implant Ø 3.8	3.20	3.0/13.0		T2530-075
		4.5/11.5		T3238-030
		6.0/10.0		T3238-045
		7.5/8.5		T3238-060
Drill stop for implant Ø 4.3	3.70	3.0/13.0	T3238-075	
		4.5/11.5	T3743-030	
		6.0/10.0	T3743-045	
		7.5/8.5	T3743-060	
Drill stop for implant Ø 5.0	4.40	3.0/13.0	T3743-075	
		4.5/11.5	T3743-118	
		6.0/10.0	T4450-030	
		7.5/8.5	T4450-045	
		11.8/6.0	T4450-060	
			T4450-075	
			T4450-118	

DRILL STOPS (EASY FAST D)



PRODUCT NAME	Ø	LENGTH	MATERIAL	PRODUCT CODE
Drill stop for implant Ø 3.5	3.20	3.0/13.0	Titan	T353227-030
		4.5/11.5		T353227-045
		6.0/10.0		T353227-060
		7.5/8.5		T353227-075
Drill stop for implant Ø 4.3	3.90	3.0/13.0		T433933-030
		4.5/11.5		T433933-045
		6.0/10.0		T433933-060
		7.5/8.5		T433933-075
Drill stop for implant Ø 5.0	4.60	3.0/13.0		T504640-030
		4.5/11.5		T504640-045
		6.0/10.0		T504640-060
		7.5/8.5		T504640-075

DRILL STOP SET

PRODUCT NAME	PRODUCT CODE
Drill stop set for Easy Fast S/D (35 parts)	EFSD0001
Empty drill stop set	BSI000


SCREWDRIVERS (IMPLANTS)

PRODUCT NAME	Ø	LENGTH	MATERIAL	PRODUCT CODE
Screwdriver for implant ø 3.0 (ratchet)	WAF 2.0	15.5/6.5	Stainless steel	T30563-07
		26.5/17.5		T30563-17
		36.5/27.5		T30563-27
Screwdriver for implant ø 3.5/3.8/4.3/5.0 (ratchet)	WAF 2.4	21.0/12.0		T44563-07
		26.0/17.0		T44563-17
		36.0/27.0		T44563-27
Screwdriver for implant ø 3.0 (contra-angle)	WAF 2.0	24.0/10.0		T30564-10
		34.0/20.0		T30564-20
Screwdriver for implant ø 3.5/3.8/4.3/5.0 (cont- ra-angle)	WAF 2.4	24.0/10.0		T44564-10
		34.0/20.0	T44564-20	




SCREWDRIVERS (LOCATOR ABUTMENT)

PRODUCT NAME	Ø	LENGTH	MATERIAL	PRODUCT CODE
Screwdriver for locator abutment (ratchet)	WAF 2.0	10.0	Stainless steel	T20563



SCREWDRIVER (RETENTION SCREW)

PRODUCT NAME	Ø	LENGTH	MATERIAL	PRODUCT CODE
Screwdriver for retention screw (ratchet)	WAF 1.2	19.0/10.0	Stainless steel	T40565-10
		24.0/15.0		T40565-15
		34.0/25.0		T40565-25
Screwdriver for retention screw (manual)	WAF 1.2	18.5/10.0		T40566-10
		23.5/15.0		T40566-15
		28.5/20.0		T40566-20
Screwdriver for retention screw (contra-angle)	WAF 1.2	23.5/10.0		T40567-10
		33.5/20.0		T40567-20



MUCOSAL PUNCH

PRODUCT NAME	Ø	LENGTH	MATERIAL	PRODUCT CODE
Mucosal punch	3.0	21.0	Stainless steel	T30533-03
	4.0			T30533-04
	5.0			T30533-05



MISCELLANEOUS TOOLS

PRODUCT NAME	Ø	LENGTH	MATERIAL	PRODUCT CODE
Insertion tool (ball anchor)			Stainless steel	T44470
Handle			Stainless steel	T44130
Measuring probe			Stainless steel	T44535
Drill shaft extension			Stainless steel	T44536
Adapter for contra-angle			Stainless steel	T44579
Hand wheel			Stainless steel	T4018
Ratchet			Stainless steel	T44700
Torque ratchet (10-40 Ncm)			Stainless steel	T44800
Locator tool			Stainless steel	T441496



One Surgical-Set for all Implants

PRODUCT NAME	PRODUCT CODE
Surgical set PROFESSIONAL (32 parts) EASY FAST S/D	EF2000



	PRODUCT NAME	PRODUCT CODE
1	Pilot drill	B2040
2	Triangular drill	B2240
3	Round drill	B2140
4	Regular drill (EFS ϕ 3.0)	B2530
5	Tap (EFS ϕ 3.0)	T90300
6	Regular drill (EFS ϕ 3.8)	B3238
7	Tap (EFS ϕ 3.8)	T90380
8	Regular drill (EFS ϕ 4.3)	B3743
9	Tap (EFS ϕ 4.3)	T90430
10	Regular drill (EFS ϕ 5.0)	B4450
11	Tap (EFS ϕ 5.0)	T90500
12	Regular drill (EFD ϕ 3.5)	B353227
13	Cortical drill (EFD ϕ 3.5)	B353629
14	Regular drill (EFD ϕ 4.3)	B433933
15	Cortical drill (EFD ϕ 4.3)	B434235
16	Regular drill (EFD ϕ 5.0)	B504640
17	Cortical drill (EFD ϕ 5.0)	B504942
18	Screwdriver for Implant ϕ 3.0 (ratchet)	T30563-17
19	Screwdriver for Implant ϕ 3.0 (ratchet)	T30564-10
20	Screwdriver for Implant ϕ 3.0 (ratchet)	T30564-20
21	Screwdriver for Implant ϕ 3.5/3.8/4.3/5.0 (ratchet)	T44563-07
22	Screwdriver for Implant ϕ 3.5/3.8/4.3/5.0 (ratchet)	T44563-17
23	Screwdriver for Implant ϕ 3.5/3.8/4.3/5.0 (contra angle)	T44564-10
24	Screwdriver for Implant ϕ 3.5/3.8/4.3/5.0 (contra angle)	T44564-20
25	Screwdriver for Locator abutment (ratchet)	T20563
26	Screwdriver for retention screw (ratchet)	T40565-10
27	Screwdriver for retention screw (ratchet)	T40565-25
28	Screwdriver for retention screw (manual)	T40566-15
29	Screwdriver for retention screw (contra angle)	T40567-10
30	Handle	T44130
31	Hand wheel	T4018
32	Torque ratchet (10-40 Ncm)	T44800

EASY FAST D

PRODUCT NAME	PRODUCT CODE
Surgical set PROFESSIONAL (24 parts) EASY FAST D	EF2000-02



	PRODUCT NAME	PRODUCT CODE
1	Pilot drill	B2040
2	Triangular drill	B2240
3	Round drill	B2140
4	Regular drill (EFD \varnothing 3.5)	B353227
5	Cortical drill (EFD \varnothing 3.5)	B353629
6	Regular drill (EFD \varnothing 4.3)	B433933
7	Cortical drill (EFD \varnothing 4.3)	B434235
8	Regular drill (EFD \varnothing 5.0)	B504640
9	Cortical drill (EFD \varnothing 5.0)	B504942
10	Screwdriver for Implant \varnothing 3.5/3.8/4.3/5.0 (ratchet)	T44563-07
11	Screwdriver for Implant \varnothing 3.5/3.8/4.3/5.0 (ratchet)	T44563-17
12	Screwdriver for retention screw (ratchet)	T40565-10
13	Screwdriver for retention screw (ratchet)	T40565-25
14	Handle	T44130
15	Hand wheel	T4018
16	Screwdriver for retention screw (manual)	T40566-15
17	Screwdriver for Implant \varnothing 3.5/3.8/4.3/5.0 (contra angle)	T44564-10
18	Screwdriver for Implant \varnothing 3.5/3.8/4.3/5.0 (contra angle)	T44564-20
19	Screwdriver for retention screw (contra angle)	T40567-10
20	Torque ratchet (10-40 Ncm)	T44800
21	Screwdriver for Locator abutment (ratchet)	T20563
22	Regular drill (EFD \varnothing 4.0)	B403730
23	Cortical drill (EFD \varnothing 4.0)	B403932
24	Regular drill \varnothing 3,0	B2530
25	EASY FAST D Tray, empty	EFD2000-02L

Easy Fix facilitates immediate prosthetic treatment without having to involve a dental laboratory!



EASY FIX

The ready-made, Easy Fix bar connector system permits immediate prosthetic treatment without having to involve a dental laboratory.

The Easy Fix concept can be adapted to any implant system. At present there is no easier or more reasonably priced bar connector system available on the market at such short notice. By short notice, we mean less than one hour. This system completely forgoes the use of moulded and milled connector bars. The bars can be screwed together using spacer sleeves available in different sizes. The riders are made of polycarbonate, and can be polymerised into the prosthesis using a lining.



Easy Fix BAR CONNECTOR SET

PRODUCT NAME	Ø	LENGTH	MATERIAL	PRODUCT CODE
Tube	2.0	17.0	Titanium	EFX1010
Pin	2.5	18.5	Titanium	EFX1020
Double bar	2.0/2.5	35.5	Titanium	EFX1030
3 riders	6.0	16.0	Polycarbonate	EFX1040

SPACER SLEEVES

PRODUCT NAME	Ø	LENGTH	MATERIAL	PRODUCT CODE
Spacer sleeve Easy Fast S* for implant ø 3.0 (4 pieces)	4.2	1.5	Titanium	EFX3001-015
		2.5		EFX3001-025
		3.5		EFX3001-035
Spacer sleeve Easy Fast S/D* for implant ø 3.5/3.8/4.3/5.0 (4 pieces)	4.2	1.5	Titanium	EFX4401-015
		2.5		EFX4401-025
		3.5		EFX4401-035

BAR CONNECTOR SETS

Easy Fix - Bar connector set
(1 tube. 1 pin. 2 double bars. 3 riders . 4 sleeves - freely combinable)

PRODUCT NAME	Ø	LENGTH	MATERIAL	PRODUCT CODE
Easy Fix bar connector set for Easy Fast S implant ø 3.0		1.5		EFX1300-015
		2.5		EFX1300-025
		3.5		EFX1300-035
Easy Fix bar connector set for Easy Fast S/D implant ø 3.5/3.8/4.3/5.0		1.5		EFX1440-015
		2.5		EFX1440-025
		3.5		EFX1440-035
Bending tools			Stainless steel	EFX1050



*Screw included
Some product images are greatly magnified for better detail.

Fixed on Four

Fixed Prosthetics with General Implants




Fixed On Four

PRODUCT NAME	Ø MM	LENGTH MM	MATERIAL	PRODUCT CODE
Abutment 0°	5,6	1.0	Titanium	FOF1001-01
		2.0		FOF1001-02
		3.0		FOF1001-03
Abutment 17,5° *	5,6	1.0	Titanium	FOF1017-01
		2.0		FOF1017-02
		3.0		FOF1017-03
Abutment 35° *	5,6	1.0	Titanium	FOF1035-01
		2.0		FOF1035-02
		3.0		FOF1035-03
Prosthetic cap *	2,6	18.0	Titanium	FOF1002
			POM	FOF1002Po
Impression cap * for closed impression	5,6	8.35	Titanium	FOF1003
Implant analog	5,6	15.2	Titanium	FOF1004
Screwdriver (ratchet)	SW 2,4	27.0/18.0	Stainless steel	T34205-18

* Screw included.

“ Only high standards of quality enable us to guarantee customers the safety they expect. ”







General Implants
GmbH Deutschland

Eisenbahnstrasse 100

78573 Wurmlingen

Germany

Telephone +49 (0) 7461 9336 - 0

info@general-implants.com

www.general-implants.com